



Contact:james E:james@ledlightmaker.com W:www.ledlightmaker.com T/F:860755 8614 4247

Description			Picture
<b>LT-3600&lt;RGB controller&gt;</b>			
Voltage Input		DC5V-DC24V	
Output		6A/CH*3	
Total output Power		1-90W:5V;1-220W:12V;1-450W:24V	
Changing Mode		17 Modes	
Color Depth		Max:256Level per RGB	
Speed		8Levels	
BRT:		8Levels	
Working Temperature		-35~55°C	
Cover Size		L211*W40*H30<mm>	
Package		L215*W43*H33<mm>	
Gross Weight		180g	
<b>LT-3600RC&lt;RGB controller&gt;</b>			
Remote		50M	
Voltage Input		DC5V-DC24V	
Output		6A/CH*3	
Total output Power		1-90W:5V;1-220W:12V;1-450W:24V	
Changing Mode		17 Modes	
Color Depth		Max:256Level per RGB	
Speed		8Levels	
BRT:		8Levels	
Working Temperature		-35~55°C	
Cover Size		L211*W40*H30<mm>	
Package		L215*W43*H33<mm>	

	Gross Weight	180g	
--	--------------	------	--

LT-311<single color controller>		
Voltage Input		DC5V-DC24V
Output		6A/CH*3
Total output Power		1-90W:5V;1-220W:12V;1-450W:24V
Changing Mode		8 Modes
Color Depth		Max:256Level per RGB
Speed		8Levels
BRT:		64Levels
Working Temperature		-35~55°C
Cover Size		L211*W40*H30<mm>
Package		L215*W43*H33<mm>
Gross Weight		180g



LT-311RC<single color controller>		
Remote		50M
Voltage Input		DC12V-DC24V
Output		6A/CH*3
Total output Power		1-220W:12V;1-450W:24V
Changing Mode		17 Modes
Color Depth		Max:256Level per RGB
Speed		8Levels
BRT:		64Levels
Working Temperature		-35~55°C
Cover Size		L211*W40*H30<mm>
Package		L215*W43*H33<mm>
Gross Weight		180g



LT-300<RGB/DMX controller>		
Voltage Input		DC12V-DC24V
Protection		Auto overload Protection
Output		8A/CH*3
Total output Power		1-300W:12V;1-900W:24V



	Changing Mode	34 Modes,skipping gradually Chasing
	Changing Speed	0-100 Levels
	Static dimming level	0-100 levels Per RGB
	3RD Communication Port	DMX512/1990
	Cover Size	L190*W120*H50<mm>
	Package	L210*W160*H65<mm>
	Gross Weight	1000g



LT-310<RGB controller>		
Voltage Input		DC12V-DC24V
Protection		Auto overload/Heat Protection
Output		8A/CH*3
Total output Power		1-300W:12V;1-600W:24V
Changing Mode		25 Modes
output voltage		Equal to Input
Power consumption		<1W
Cover Size		L135*W90*H40<mm>
Package		L155*W105*H55<mm>
Gross Weight		400g



LT-3800		
Voltage Input		DC5V-DC24V
Output		6A/CH*3
Total output Power		1-90W:5V;1-220W:12V;1-450W:24V
Changing Mode		18 Modes
Grey Scale		Max:256Level per RGB
Static Brightness		16Levels per RGB
Product Size		L142*W73*H30<mm>
Package		L145*W88*H46<mm>
Gross Weight		350g



LT-3200-6A<dimmer>		
Voltage Input		DC5V-DC24V
Output Current		6A
Output Signal		Single channel constant voltage PWM signal
Total output Power		75W:12V;150W:24V
Grey Scale		256Level per RGB
Static dimming level		0-100 levels Per RGB
IR controller Size		L87*W33<mm>
Switch Size		L87*W87<mm>
Package		L87*W87*H61<mm>
Gross Weight		200g



LT-3200-DMX		
	Voltage Input	DC5V-DC24V
	Output Current	6A
	Output Signal	DMX512/1990,250HZ
LT-3200-S<dimmer>		
	Voltage Input	DC12V-DC48V
	Output Current	350mA/700mA, 1-12pcs 1/3W LED
	Output Signal	PWM

