

Item Name: LED street light

Item No: LYL-DP2590-28w

Material: Aluminum

Case Color: Nature

LEDS: 28\*1W

Color: White

Len Angle: 110/70

Working Voltage: AC220V

Consumption: 28W

Degree: IP54

Install Height: 4-5m

Lux: 80-90lx

Lms: 2800m

Color: 14\*8m

Light Shape: Rectangle

Color temperature: 5500-6500k

RA: Ra85

Power Factor: >0.95

Working Temperature: -45°C~55°C

size: 270x90 (mm)

Inner box size: 275\*96\*96 (mm)

Net weight: 1.17(Kg)

Master box: 295\*500\*500

Packing Pcs: 25

Gross weight: 32(kg)



Welcome to Contact me :

James Wang [James@ledlightmaker.com](mailto:James@ledlightmaker.com)

MSN/SKYPE:wmfeng007

Tel/Fax:86 0755 8614 4247

Item Name: LED Street Light  
Item No: LYL-2030-30w  
Material: Aluminum  
Case Color: White  
LEDS: 30\*1W  
Color: White  
Len Angle: 130/70  
Working Voltage: AC220V  
Consumption: 30W  
Degree: IP65  
Install Height: 4—5m  
Lux: 35-45lx  
Color: 18\*10m  
Light Shape: Rectangle  
Lms: 3000lm  
Color temperature: 5500-6500k  
Power Factor: >0.95  
RA: Ra>85  
Working Temperature: 45°C~55°C  
size: 680\*310\*185(mm)  
Master Box: 690\*325\*195(mm)  
Net weight: 4.17(Kg)  
Packing Pcs: 1  
Gross weight: 5.2(kg)



Welcome to Contact me :  
James Wang [James@ledlightmaker.com](mailto:James@ledlightmaker.com)  
MSN/SKYPE:wmfeng007  
Tel/Fax:86 0755 8614 4247

LEKUNG INDUSTRIAL CO LTD

[www.ledlightmaker.com](http://www.ledlightmaker.com)

Tel/fax:86 0755 8614 4247

Item Name: LED Street Light

Item No: LYL-2030x-30w

Material: Aluminum

Case Color: blue white

LEDS: 512

Color: White

Len Angle: 70

Working Voltage: AC220V

Consumption: 30W

Degree: IP65

Install Height: 4—5m

Lux: 35-45lx

Color: 15\*15m

Light Shape: Round

Lms: 2500lm

Color temperature: 5500-6500k

Power Factor: >0.95

RA: Ra>85

Working Temperature: -45°C~55°C

size: 680\*310\*185(mm)

Master Box: 690\*325\*195 (mm)

Net weight: 4.17(Kg)

Packing Pcs: 1

Gross weight: 5.17 (kg)



Welcome to Contact me :

James Wang [James@ledlightmaker.com](mailto:James@ledlightmaker.com)

MSN/SKYPE:wmfeng007

Tel/Fax:86 0755 8614 4247

LEKUNG INDUSTRIAL CO LTD

[www.ledlightmaker.com](http://www.ledlightmaker.com)

Tel/fax:86 0755 8614 4247

Item Name: LED Street Light

Item No: LYL-2030x-40w

Material: Aluminum

Case Color: blue white

LEDS: 672

Color: White

Len Angle: 70

Working Voltage: AC220V

Consumption: 40W

Degree: IP65

Install Height: 5—6m

Lux: 35-45lx

Color: 15\*15m

Light Shape: Round

Lms: 4000lm

Color temperature: 6000-6500k

Power Factor: >0.95

RA: Ra>85

Working Temperature: -45°C~55°C

size: 680\*310\*185(mm)

Master Box: 690\*325\*195 (mm)

Net weight: 4.17(Kg)

Packing Pcs: 1

Gross weight: 5.17 (kg)



Welcome to Contact me :

James Wang [James@ledlightmaker.com](mailto:James@ledlightmaker.com)

MSN/SKYPE:wmfeng007

Tel/Fax:86 0755 8614 4247

LEKUNG INDUSTRIAL CO LTD

[www.ledlightmaker.com](http://www.ledlightmaker.com)

Tel/fax:86 0755 8614 4247

Item Name: LED Street Light

Item No: LYL-2030-40w

Material: Aluminum

Case Color: White

LEDS: 40\*1W

Color: White

Len Angle: 130/70

Working Voltage: AC220V

Consumption: 40W

Degree: IP65

Install Height: 4—6m

Lux: 35-45lx

Color: 22\*12m

Light Shape: Rectangle

Lms: 4000lm

Color temperature: 5500-6500k

Power Factor: >0.95

RA: Ra>85

Working Temperature: 45°C~55°C

size: 680\*310\*185(mm)

Master Box: 690\*325\*195(mm)

Net weight: 4.5(Kg)

Packing Pcs: 1

Gross weight: 5.2(kg)



Welcome to Contact me :

James Wang [James@ledlightmaker.com](mailto:James@ledlightmaker.com)

MSN/SKYPE:wmfeng007

Tel/Fax:86 0755 8614 4247

Item Name: LED street light  
Item No: LYL-DP2590-45w  
Material: Aluminum  
Case Color: Nature  
LEDS: 28\*1.6W  
Color: White  
Len Angle: 110/70  
Working Voltage: AC220V  
Consumption: 45W  
Degree: IP54  
Install Height: 5—6m  
Lux: 130-150lx  
Lms: 4000m  
Color: 14\*8m  
Light Shape: Rectangle  
Color temperature: 5500-6500k  
RA: Ra85  
Power Factor: >0.95  
Working Temperature: -45°C~55°C  
size: 270x90 (mm)  
Inner box size: 275\*96\*96 (mm)  
Net weight: 1.17 (Kg)  
Master box: 295\*500\*500 (mm)  
Packing Pcs: 25  
Gross weight: 32(kg)



Welcome to Contact me :  
James Wang [James@ledlightmaker.com](mailto:James@ledlightmaker.com)  
MSN/SKYPE:wmfeng007  
Tel/Fax:86 0755 8614 4247

LEKUNG INDUSTRIAL CO LTD

[www.ledlightmaker.com](http://www.ledlightmaker.com)

Tel/fax:86 0755 8614 4247

Item Name: LED Street Light  
Item No: LYL-2030-50w  
Material: Aluminum  
Case Color: White  
LEDS: 50\*1W  
Color: White  
Len Angle: 130/70  
Working Voltage: AC220V  
Consumption: 50W  
Degree: IP65  
Install Height: 6-7m  
Lux: 35-45lx  
Color: 24\*14m  
Light Shape: Rectangle  
Lms: 5000lm  
Color temperature: 5500-6500k  
Power Factor: >0.95  
RA: Ra>85  
Working Temperature: 45°C~55°C  
size: 680\*310\*185(mm)  
Master Box: 690\*325\*195 (mm)  
Net weight: 4.5(Kg)  
Packing Pcs: 1  
Gross weight: 5.2(kg)



Welcome to Contact me :  
James Wang [James@ledlightmaker.com](mailto:James@ledlightmaker.com)  
MSN/SKYPE:wmfeng007  
Tel/Fax:86 0755 8614 4247

LEKUNG INDUSTRIAL CO LTD

[www.ledlightmaker.com](http://www.ledlightmaker.com)

Tel/fax:86 0755 8614 4247

Item Name: LED Street Light

Item No: LYL-2030x-50w

Material: Aluminum

Case Color: blue white

LEDS: 819

Color: White

Len Angle: 70

Working Voltage: AC220V

Consumption: 50W

Degree: IP65

Install Height: 6—8m

Lux: 30-40lx

Color: 15\*15m

Light Shape: Round

Lms: 4900lm

Color temperature: 5500-6500k

Power Factor: >0.95

RA: Ra>85

Working Temperature: -45°C~55°C

size: 680\*310\*185(mm)

Master Box: 690\*325\*195 (mm)

Net weight: 4.5(Kg)

Packing Pcs: 1

Gross weight: 5.5(kg)



Welcome to Contact me :

James Wang [James@ledlightmaker.com](mailto:James@ledlightmaker.com)

MSN/SKYPE:wmfeng007

Tel/Fax:86 0755 8614 4247

Item Name: LED Street Light  
Item No: LYL-5433A-60w  
Material: Aluminum  
Case Color: White  
LEDS: 60\*1W  
Color: White  
Len Angle: 130/70  
Working Voltage: AC220V  
Frequency: 50-60Hz  
Consumption: 60W  
Degree: IP66  
Install Height: 7-8m  
Lux: 35-45lx  
Color: 28\*16m  
Light Shape: Rectangle  
Lms: 6000lm  
Color temperature: 5500-6500k  
RA: Ra>85  
Power Factor: >0.95  
Working Temperature: -40°C~50°C  
size: 540\*340\*125(mm)  
Master Box: 560\*370\*145 (mm)  
Net weight: 5.5 (Kg)  
Packing Pcs: 1  
Gross weight: 6.5(kg)



Welcome to Contact me :  
James Wang [James@ledlightmaker.com](mailto:James@ledlightmaker.com)  
MSN/SKYPE:wmfeng007  
Tel/Fax:86 0755 8614 4247

LEKUNG INUDSTRIAL CO LTD

[www.ledlightmaker.com](http://www.ledlightmaker.com)

Tel/fax:86 0755 8614 4247

Item Name: LED Street Light  
Item No: LYL-8024-60w  
Material: Aluminum  
Case Color: Blue、White  
LEDS: 60\*1W  
Color: White  
Len Angle: 130/70  
Working Voltage: AC220V  
Consumption: 60W  
Degree: IP65  
Install Height: 7-8m  
Lux: 35-45lx  
Color: 28\*16m  
Light Shape: Rectangle  
Lms: 6000lm  
Color temperature: 5500-6500k  
Power Factor: >0.95  
RA: Ra>85  
Working Temperature: 45°C~55°C  
size: 730\*360\*160 (mm)  
Master Box: 750\*380\*180 (mm)  
Net weight: 3.6 (Kg)  
Packing Pcs: 1  
Gross weight: 4.5(kg)



Welcome to Contact me :  
James Wang [James@ledlightmaker.com](mailto:James@ledlightmaker.com)  
MSN/SKYPE:wmfeng007  
Tel/Fax:86 0755 8614 4247

Item Name: LED Street Light  
Item No: LYL-5433A-72w  
Material: Aluminum  
Case Color: White  
LEDS: 72\*1W  
Color: White  
Color: White  
Len Angle: 130/70  
Working Voltage: AC220V  
Frequency: 50—60Hz  
Consumption: 72W  
Degree: IP66  
Install Height: 7-9m  
Lux: 40-50lx  
Color: 32\*18m  
Light Shape: Rectangle  
Lms: 7200lm  
Color temperature: 5500-6500k  
RA: Ra>85  
Power Factor: >0.95  
Work Temperature: -40°C~50°C  
size: 540\*340\*125(mm)  
Master Box: 560\*370\*145 (mm)  
Net weight: 5.5(Kg)  
Packing Pcs: 1  
Gross weight: 6.5(kg)



Welcome to Contact me :  
James Wang [James@ledlightmaker.com](mailto:James@ledlightmaker.com)  
MSN/SKYPE:wmfeng007  
Tel/Fax:86 0755 8614 4247

LEKUNG INDUSTRIAL CO LTD

[www.ledlightmaker.com](http://www.ledlightmaker.com)

Tel/fax:86 0755 8614 4247

Item Name: LED Street Light  
Item No: LYL-5433A-80w  
Material: Aluminum  
Case Color: White  
LEDS: 80\*1W  
Color: White  
Len Angle: 130/70  
Working Voltage: AC220V  
Frequency: 50—60Hz  
Consumption: 80W  
Degree: IP66  
Install Height: 8-10m  
Lux: 40-50lx  
Color: 35\*20m  
Light Shape: Rectangle  
Lms: 8000lm  
Color temperature: 5500-6500k  
RA: Ra>85  
Power Factor: >0.95  
Working Temperature: -40°C~50°C  
size: 540\*340\*125(mm)  
Master Box: 560\*370\*145 (mm)  
Net weight: 5.5(Kg)  
Packing Pcs: 1  
Gross weight: 6.5(kg)



Welcome to Contact me :  
James Wang [James@ledlightmaker.com](mailto:James@ledlightmaker.com)  
MSN/SKYPE:wmfeng007  
Tel/Fax:86 0755 8614 4247

LEKUNG INDUSTRIAL CO LTD

[www.ledlightmaker.com](http://www.ledlightmaker.com)

Tel/fax:86 0755 8614 4247

Item Name: LED Street Light

Item No: LYL-5433A-120w

Material: Aluminum

Case Color: White

LEDS: 80\*1.5W

Color: White

Len Angle: 130/70

Working Voltage: AC220V

Frequency: 50—60Hz

Consumption: 120W

Degree: IP66

Install Height: 13-15m

Lux: 80-90lx

Color: 55×35m

Light Shape: Rectangle

Lms: 12000lm

Color temperature: 5500-6500k

RA: Ra>85

Power Factor: >0.95

Working Temperature: -40°C~50°C

size: 540\*340\*125(mm)

Master Box: 560\*370\*145 (mm)

Net weight: 6(Kg)

Packing Pcs: 1

Gross weight: 7(kg)



Welcome to Contact me :

James Wang [James@ledlightmaker.com](mailto:James@ledlightmaker.com)

MSN/SKYPE:wmfeng007

Tel/Fax:86 0755 8614 4247

Item Name: LED Street Light  
Item No: LYL-5433A-90w  
Material: Aluminum  
Case Color: White  
LEDS: 90\*1W  
Color: White  
Len Angle: 130/70  
Working Voltage: AC220V  
Frequency: 50—60Hz  
Consumption: 90W  
Degree: IP66  
Install Height: 9—11m  
Lux: 40-50lx  
Color: 35\*20m  
Light Shape: Rectangle  
Lms: 9000lm  
Color temperature: 5500-6500k  
RA: Ra85  
Power Factor: >0.95  
Working Temperature: -40°C~50°C  
size: 540\*340\*125(mm)  
Master Box: 560\*370\*145 (mm)  
Net weight: 5.5(Kg)  
Packing Pcs: 1  
Gross weight: 6.5(kg)



Welcome to Contact me :  
James Wang [James@ledlightmaker.com](mailto:James@ledlightmaker.com)  
MSN/SKYPE:wmfeng007  
Tel/Fax:86 0755 8614 4247

Item Name: LED Street Light

Item No: LYL-5433A-100w

Material: Aluminum

Case Color: White

LEDS: 100\*1W

Color: White

Len Angle: 130/70

Working Voltage: AC220V

Frequency: 50Hz

Consumption: 100W

Degree: IP65

Install Height: 10—12m

Lux: 40-50lx

Color: 45\*23m

Light Shape: Rectangle

Lms: 10000lm

Color temperature: 5500-6500k

RA: Ra85

Power Factor: >0.95

Working Temperature: -40°C~50°C


size: 540\*340\*125(mm)

Master Box: 560\*370\*145 (mm)

Net weight: 5.98(Kg)

Packing Pcs: 1

Gross weight: 6.8(kg)



Welcome to Contact me :

James Wang [James@ledlightmaker.com](mailto:James@ledlightmaker.com)

MSN/SKYPE:wmfeng007

Tel/Fax:86 0755 8614 4247